

ROTARY TILLERS

TAR RIVER IMPLEMENTS



The Tar River Implements Rotary Tiller is built with three things in mind: Durability, Affordability and Design.

Available in 5 different series, these rotary tillers are strongly built using quality components that are made to last, will handle your toughest jobs and for the price, they cut through the competition. The DLT Series & TXG Series specifically designed and engineered for sub-compact and compact tractors; the YCT Series for mid-range tractors; and the RXT Series Heavy Duty & CXT Series Multi-Speed rotary tillers for more demanding, higher horsepower tractors.

The Tar River Rotary Tiller line is ideal for landscapers, hobby farmers, gardeners, nurseries, developers, orchard operators, contractors and anyone else who needs a strong, long lasting rotary tiller without breaking the bank.



Web: TarRiverMFG.com
Email: Sales@TarRiverMFG.com
Info@TarRiverMFG.com

DISTRIBUTED BY: **BELC** 
**RESOURCES
EQUIPMENT**


401 Jeffreys Road
Rocky Mount, NC 27804
Tel: (252) 822-7140
Web: www.BR-Equipment.com
Email: Sales@BR-Equipment.com

HORSEPOWER RANGE: 15-30



DLT Series Features:

- Heavy 80# Chain Drive
- Side-Shift Capability
- Powder Coat Paint
- 4 Blades per Flange
- 4" Tilling Depth
- Series 4 PTO with Slip-Clutch Protection




Model	Working Width	Blades per flange	Drive	HP	Wt. lbs.	Shipping Wt. lbs.
SUB-COMPACT DLT SERIES						
DLT-S42	42"	4	#80 Chain	15 - 25	304	375
DLT-S50	50"	4	#80 Chain	15 - 25	348	429




TXG Series Features:

- Gear Drive
- Powder Coat Paint
- 6 Blades Per Flange
- 6" Tilling Depth
- Series 4 PTO with Slip-Clutch Protection




Model	Working Width	Blades per flange	Drive	HP	Wt. lbs.	Shipping Wt. lbs.
COMPACT TXG SERIES						
TXG-040	41"	6	Gear	15-30	337	392
TXG-050	48"	6	Gear	15-30	374	434
TXG-060	59"	6	Gear	18-30	412	477

HORSEPOWER RANGE: 20-60



YCT Series Features:

- Gear Drive
- Powder Coat Paint
- 6 Blades Per Flange
- Large Diameter Rotor
- Labyrinth Rotor Bearing Shielding
- 7" Tilling Depth
- Series 4 PTO with Slip-Clutch Protection*



*Series 6 Slip-Clutch PTO on YCT-082

Model	Working Width	Blades per flange	Drive	HP	Wt. lbs.	Shipping Wt. lbs.
MEDIUM DUTY YCT SERIES						
YCT-050	49"	6	Gear	30 – 50	525	554
YCT-060	58"	6	Gear	30 – 50	542	608
YCT-066	66"	6	Gear	35 – 50	596	669
YCT-074	72"	6	Gear	40 – 50	640	718
YCT-082	81"	6	Gear	45 - 60	702	757
REVERSE TINE MEDIUM DUTY YCT-R SERIES						
YCT-R60	58"	6	Gear	30 – 50	557	623
YCT-R74	72"	6	Gear	40 – 50	654	734




HORSEPOWER RANGE: 50-120




RXT Series Features:

- Gear Drive
- Powder Coat Paint
- 6 Blades Per Flange
- Large Diameter Rotor
- Waterproof Rotor Supports
- 10" Tilling Depth
- Series 6 PTO with Slip-Clutch Protection



Model	Working Width	Blades per flange	Drive	HP	PTO Driveline	Wt. lbs.	Shipping Wt. lbs.
HEAVY DUTY RXT SERIES							
RXT-072	66"	6	Gear	50-120	Series 6 S/C	945	1,053
RXT-080	73"	6	Gear	55-120	Series 6 S/C	970	1,075
RXT-088	85"	6	Gear	60-120	Series 6 S/C	1,015	1,121
RXT-096	92"	6	Gear	65-120	Series 6 S/C	1,069	1,183



CXT Series Features:

- Gear Drive
- Powder Coat Paint
- 6 Blades Per Flange
- Large Diameter Rotor
- Waterproof Rotor Supports
- 10" Tilling Depth
- Series 8 PTO with Slip-Clutch Protection
- Multi-Speed Gearbox

Model	Working Width	Blades per flange	Drive	HP	PTO Driveline	Wt. lbs.	Shipping Wt. lbs.
MULTI-SPEED CXT SERIES							
CXT-086	86"	6	Gear	60-130	Series 8 S/C	1,636	1,735
CXT-095	95"	6	Gear	70-130	Series 8 S/C	1,762	1,862
CXT-104	104"	6	Gear	75-130	Series 8 S/C	1,876	1,895
CXT-112	112"	6	Gear	80-130	Series 8 S/C	2,081	2,317
CXT-121	121"	6	Gear	85-130	Series 8 S/C	2,115	2,410